

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	700	(Bus near3 reset\$5) and (IEEE near4 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:37
S72	615	(Configura\$5 reset\$5) near5 (subset superset sub-set partial in-part) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:30
S73	2	S71 and (Configura\$5) near5 (subset) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:27
S74	3	S71 and (Configura\$5 reset\$5) near5 (subset superset sub-set partial in-part) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:36
S75	13	S71 and (select\$5) near10 (topology) near5 (map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:42
S76	47	S71 and (basis) near10 (requir\$5 necessity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:43
S77	14	(Bus near3 reset\$5) and (IEEE near4 "1394") and (updat\$5 chang\$5) near4 (select\$5 certain required) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:10
S78	17	(reset\$5) near5 (certain requir\$5) near4 (node) and (IEEE near4 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:06
S79	1	(Bus near3 reset\$5) and (IEEE near4 "1394") and (selective near3 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:13
S80	1	(IEEE near4 "1394") and (selective near3 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:53
S81	1	(Bus near3 reset\$5) and (selective near3 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:53

S82	206	(Bus near3 reset\$5) and (IEEE near4 "1394") and (affect\$5 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:56
S83	0	(Bus near3 reset\$5) and (IEEE near4 "1394") and (affect\$5 near4 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:54
S84	7	(ogino) and (feng) and (sony)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:56
S85	0	(Bus near3 reset\$5) and (IEEE near4 "1394") and (restor\$5) near4 (communication) near10 (affected) near5 (node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:14
S86	0	(Bus near3 reset\$5) and (restor\$5) near4 (communication) near10 (affected) near5 (node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:13
S87	1	(IEEE near4 "1394") and (selective near3 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:14
S88	0	(IEEE near4 "1394") and (restor\$5) near4 (communication) near10 (affected) near5 (node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:14
S89	4	(restor\$5) near4 (communication) near10 (affected) near5 (node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:14
S90	3	(Bus near3 reset\$5) and (IEEE near4 "1394") and ((establish\$5) near5 (call near5 back near4 handler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:40
S91	0	(Bus near3 reset\$5) and (IEEE near4 "1394") and ((reconfigur\$5) near5 (call near5 back near4 handler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 15:00
S92	0	(Bus near3 reset\$5) and (IEEE near4 "1394") and ((reconfigur\$5) near5 (call near5 back))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:40

S93	8	(Bus near3 reset\$5) and (IEEE near4 "1394") and ((reconfigur\$5) near5 (communicat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:45
S94	44	(IEEE near4 "1394") and ((reconfigur\$5) near5 (communicat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:53
S95	42	(IEEE near4 "1394") and ((restor\$5 reestblish\$5) near5 (communicat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:59
S96	103	(IEEE near4 "1394") and ((unvalid invalid) near5 (mark\$5 flag\$5 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:25
S97	291	(humpleman)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:25
S98	16	(Bus near3 reset\$5) and (IEEE near4 "1394") and (humpleman)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:32
S99	19	(Bus near3 reset\$5) and (humpleman)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:32
S10 0	38	(IEEE near4 "1394") and (fault near5 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:58
S10 1	0	(IEEE near4 "1394") and (kanhere)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:59
S10 2	20	(kanhere)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:59
S10 3	22	(Bus near3 reset\$5) and (serial near4 bus) and (updat\$5 chang\$5) near4 (select\$5 certain required) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:17

S10 4	0	(serial near4 bus) and (fault near4 recover45)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:14
S10 5	251	(serial near4 bus) and (fault near4 recover\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:15
S10 6	0	(serial near4 bus) and (fault near4 recover\$5)and (affect\$5 near5 topology near4 map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:15
S10 7	78	(serial near4 bus) and (updat\$5 chang\$5) near4 (new removed added discarded) near4 (node device appliance equipment) near5 (information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:33
S10 8	72	(selectively adaptively) near5 (updat\$5 chang\$5) near4 (node device appliance equipment) near5 (information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:10
S10 9	146	(updat\$5 chang\$5) near4 (relevant communicat\$5) near5 (node device appliance equipment) near5 (data information) and ((IEEE serial) near5 (BUS "1394"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:55
S11 0	516	(updat\$5 chang\$5) near4 (relevant communicat\$5) near5 (node device appliance equipment) and ((IEEE serial) near5 (BUS "1394"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:02
S11 1	19	"714"\$\$.ccis. and (updat\$5 chang\$5) near4 (relevant communicat\$5) near5 (node device appliance equipment) and ((IEEE serial) near5 (BUS "1394"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:02
S11 2	2	"6738835".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:14
S11 3	0	(Bus near3 reset\$5) same (reconfigur\$5) same (subset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 15:02
S11 4	143	(Bus near3 reset\$5) same (reconfigur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 15:34

S11 5	25	"709"/\$.ccis. and (Bus near3 reset\$5) same (reconfigur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 15:35
S11 6	0	(selectively adaptively) near5 (topology) near5 (map\$5) and ((IEEE near4 "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:11
S11 7	79	(select\$5 adapt\$6) near5 (topology) near5 (map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:12
S11 8	2	"6959186".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:15
S11 9	2	"6725285".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:16
S12 0	0	09/9338746	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:16
S12 1	9	("6199136"   "6202103"   "6233611"   "6349352"   "6366964"   "6456892"   "6460030"   "6480889"   "6523696").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 12:42
S12 2	0	(mark\$5) near5 (handle) near5 (object) near15 (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:44
S12 3	2	(made mak\$5) near5 (handle) near5 (object) near15 (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 12:46
S12 4	19	(handle) near5 (object) near15 (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:13
S13 3	0	(designat\$5 initiali\$5) near5 (handle) near5 (object) near15 (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:15
S13 4	1	(invalid\$5) same (all) same (handle) same (object) same (removed added disconnected connected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:17

S13 5	1	(invalid\$5) same (all) same (handle) same (object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:17
S13 6	635	(invalid\$5) same (handle) same (object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:31
S13 7	46	(invalid\$5) same (handle) same (object) and (USB "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:31
S13 8	635	(invalid\$5) same (handle) same (object) and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:53
S13 9	19	(invalid\$5) same (handle) adj (object) and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:31
S14 0	64	("709"/\$.ccls.) and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:48
S14 1	13	("710"/\$.ccls.) and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:49
S14 2	21	("714"/\$.ccls.) and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:49
S14 3	6	(invalid\$5) same (handle) same ("1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:55
S14 6	2	(invalid\$5) same (object) near3 (handle) same ("1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:55
S14 7	4	(valid\$5) same (object) near3 (handle) same ("1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:37

S14 8	2	"5764930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:56
S14 9	0	(configur\$5 (reconfigur\$5)) near4 (trigger) same (invalidat\$5 discard) near3 (object) near3 (handle) and ("1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:40
S15 0	183	(configur\$5 (reconfigur\$5)) near4 (trigger) and ("1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:41
S15 1	0	(configur\$5 (reconfigur\$5)) near4 (trigger) same (object) near3 (handle) and ("1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:42
S15 2	145	(configur\$5 (reconfigur\$5)) near4 (trigger) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:45
S15 3	1	(configur\$5 (reconfigur\$5)) near4 (trigger) and (object) near3 (handle) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:42